• Review Article •

Basic and clinical application progression of invigorating blood and dissolving stasis Chinese medicine in ophthalmology

Ying Wang¹, Jun Peng¹, Gen-Yan Qin¹, Yu Xiang¹, Jia-Qi Liu¹, Xiang-Dong Chen², Ya-Sha Zhou¹, Qing-Hua Peng²

¹Graduate School, Hunan University of Traditional Chinese Medicine, Changsha 410208, Hunan Province, China

²Department of Ophthalmology, the First Affiliated Hospital of Hunan University of Traditional Chinese Medicine, Changsha 410000, Hunan Province, China

Correspondence to: Qing-Hua Peng. Department of Ophthal-mology, the First Affiliated Hospital of Hunan University of Traditional Chinese Medicine, Changsha 410000, Hunan Province, China. pqh410007@126.com

Received: 2019-01-10 Accepted: 2019-10-14

Abstract

• Invigorating blood and dissolving stasis method is a kind of unique therapy of traditional Chinese medicine treatment, which efficacy has become increasingly prominent in the treatment of ophthalmology, with the further studies of blood stasis and invigorating blood and dissolving stasis therapy, it is widely used in clinical ophthalmology, and get good effects beyond thought, especially when western medicine has no curative effects, which improve the cure rate of fundus oculi disease from the eyelids, conjunctiva, lacrimal sac, vitreous body to the choroid and retina, optic nerve and macula lutea, from surface to fundus. Pathological changes related to inflammation, degeneration, necrosis, atrophy, hyperplasia of fibrous tissue hyperplasia. This paper is aim to explain the definition of invigorating blood and dissolving stasis and make a summary of basic research and clinical application about it in several diseases.

• **KEYWORDS:** invigorating blood and dissolving stasis; application in ophthalmology; summarize

DOI:10.18240/ier.2020.01.12

Citation: Wang Y, Peng J, Qin GY, Xiang Y, Liu JQ, Chen XD, Zhou YS, Peng QH. Basic and clinical application progression of invigorating blood and dissolving stasis Chinese medicine in ophthalmology. *Int Eye Res* 2020;1(1):62-66

INTRODUCTION

he Definition of Blood Stasis Shuo Wen Jie Zi said "stasis is accumulations of blood", blood stasis produces because of the weakened function of zang-fu, the imbalance of qi, blood, fluids, essence, externally-contracted six pathogenic factors, injury and all kinds of bleeding. Qi can carry blood moving together, qi stagnation and deficiency make blood stasis, then blood stasis blocks zang-fu blood vessels, leading tissue and organ degeneration, poor blood flow, and multiple vascular lesions^[1]. Summarize the modern research results related to blood stasis, which generally include the following aspects: 1) the blood circulation disorders, abnormal hemodynamics, especially abnormal microcirculation disorder; 2) the abnormality of blood coagulation system and platelet function and activity factors; 3) capillary permeability abnormality; 4) the capillary permeability of the macrophage function abnormality; 5) connective tissue metabolism abnormality; 6) the immune system and endocrine function abnormality; 7) endocrine function abnormality. From pathological point of view, the main pathological changes of blood stasis include: 1) local or systemic blood circulation abnormality; 2) vascular degeneration and exudative lesions, thrombosis, hemorrhage etc; 3) inflammatory lesions of various degrees; 4) the hyperplastic lesions (fibrosis, scar stasis, or tumor and tumor like lesions etc); 5) the pathological changes of cell degeneration and dysfunction^[2]. The ophthalmic manifestations are aqueous and vitreum hemorrhage, exudation, hemorrhage opacity of the fundus of the elevated intraocular pressure, proptosis, eyelid bruising or swelling scleroma, red eye, coarse choroid mass, ocular bleeding caused by poor circulation^[3], tongue has petechia or ecchymosis, sublingual varicose veins, wiry and choppy pulse.

Theoretical Basis of Invigorating Blood and Dissolving Stasis Medicine Invigorating blood and dissolving stasis is treatment rule for blood stasis, it is a method to remove blood stasis, dredge blood vessels, the basic pharmacological effect can be summarized as follows: 1) improvement of hemodynamics; 2) improvement of blood rheology and thrombosis; 3) improvement of the microcirculation $etc^{[4]}$.

Invigorating blood and dissolving stasis comes from the theory of blood stasis. "Extravasated blood", "blood coagulation", "blood bi" are early recorded in Huangdi Neijing, and referred to the methods of "dredging blood vessels", "breaking up blood", "dissipating masses". There is discussion "blood stasis fills in eyes is due to coagulation and stagnation" in Shen Shi Yao Han. Zhang Zhongjing proposed "blood stasis", "blood amassment", "dry blood" in Treatise on Febrile Diseases and Synopsis of the Golden Chamber, and narrated pattern differentiation and treatment of invigorating blood and dissolving stasis. There are much development of Blood Stasis Theory after the Sui dynasty such as "Source", Thousand Golden Prescriptions, Wai Tai Mi Yao of the Sui and Tang Dynasties, Esoteric Yanke Longmu Theory of Song Dynasty, Compendium of Materia Medica of the Ming Dynasty, Mujing Dacheng of the Qing Dynasty, the books all did complement and innovation to principles, methods, formulas, and medicinals of invigorating blood and dissolving stasis. The Qing Dynasty had appeared some summarized systemic monographs, taking example of Errors in Medicine Corrected written by Wang Qingren which centered on invigorating blood and dissolving stasis and create 33 formulas. At the end of the Qing Dynasty, Tang Rongchuan's Blood Syndrome Theory advocated that to treat blood disease should pay attention to the principle of dissolving stasis to create fresh blood, which thought that all blood out of vessels are stasis. So dissolve stasis to create fresh blood, if not, there was no source of fresh blood.

In recent years, research on invigorating blood and dissolving stasis has new development, and it has been widely used in clinical departments. Traditional Chinese medicine (TCM) theory think that the eye is an important organ of the human body, its physiological and pathological processes are closely linked with the body organs. Through main and collateral channels, zang-fu and qi and blood, the eye contacts with various tissues and organs. Systemic zang-fu dysfunction, can be reflected in the eye and eye diseases can reflected through the channels and zang-fu. Thus the diagnosis and treatment of ophthalmic diseases can also be treated by systemic medication, invigorating blood and dissolving stasis is widely used in the diagnosis and treatment of ophthalmic diseases.

CLINICAL APPLICATION OF INVIGORATING BLOOD AND DISSOLVING STASIS CHINESE MEDICINE IN OPHTHALMIC DISEASES

Traumatic Hyphema Traumatic hyphema is because of the eye that suddenly being hit by the external force, the anterior chamber pressure surge, the iris ciliary body blood vessel rupture caused by aqueous humor pounding the surrounding tissue, whose principles of treatment are stop bleeding, promote blood absorption, prevent bleeding and reduce complications.

Wen *et al*^[5] treated 112 traumatic hyphema cases with compound Xueshuantong capsule and Yunnan Baiyao capsule together with local corticosteroids, the hyphema of all patients were absorbed. Song^[6] used invigorating blood and dissolving stasis together with fortifying the spleen and promoting urination to treat traumatic hyphema, got good curative effect, short treatment period, less side effect, avoiding patient's pain caused by operation, and reduced intraocular tissue damage caused by surgery.

Fundus Hemorrhage Fundus hemorrhage belongs to the sudden blindness and blurring vision of TCM, which mainly caused by emotion, internal damage such as damageing the yin and blood, deficiency fire stirring internally or excess heat in the liver channel, exuberant fire and gi counter flow. Blood heat is the main reason, which causing blood flows outside the vessels and becomes blood stasis. So using invigorating blood and dissolving stasis to treat ophthalmic blood syndrome obtained satisfactory curative effect. "Ding Xinyan" think fundus hemorrhage according to the specific characteristics of different stages of bleeding can be divided into early, middle and late phases to do pattern differentiation and treatment^[7]. Early bleeding or recurrent bleeding tendency should be cooling blood to stop bleeding, combined with invigorating blood and dissolving stasis, using Pollen Typhae Decoction. The middle phase without fresh bleeding should invigorate blood and dissolve stasis, combined with moving qi and stanching bleeding, using Peach Kernel and Carthamus Four Substances Decoction. At late phase most fundus hemorrhage was absorpt, edema and effusion regression, or exists black blood stasis, organization focus, hard exudate, it should enrich yin and supplement kidney, combined with invigorating blood and dissolving stasis, using Zhujing Pill. Zhou et al^[8] put forward different treatment according to the differentiation characteristics of different periods: a period of bleeding period (less than 15d), for first period should cool the blood and stanch bleeding; second period (15-45d), should invigorate blood and dissolve stasis; third period is the blood of dead period (45-75d) should break up blood stasis combined with soften hardness and dissipate masses; fourth period is dry blood stage (more than 75d) should break up blood and expel stasis, soften hardness and dissipate masses combined with reinforcing healthy qi and consolidate yuan qi. All patients of different periods were given Pollen Typhae Decoction, Peach Kernel and Carthamus Four Substances Decoction, Blood Mansion Stasis-Expelling Decoction, dissolve stasisa and dissipate masses tablets, and Yishi tablets.

Retinal Vein Obstruction Central retinal vein or its branch vein occlusion is a ocular disease caused by a variety of reasons characterized by retinal vein dilation, inconvenienced retinal hemorrhage, exudant, hydroncus^[9]. Li^[10] divided 116

cases of retinal vein occlusion randomly into treatment group and control group of 58 cases each, treatment group was treated with TCM invigorating blood and dissolving stasis treatment based on syndrome differentiation, the control group was given Mai Ling oral liquid, the total effective rate was 76% in treatment group and 53.9% in the control group. The total effective rate of branch vein occlusion in treatment group was 93.9%, which was significantly higher than that of control group (59.4%). Qin and Zheng[11] used TCM treatment of boosting qi, invigorating blood and dissolving stasis method combined with laser therapy to treat retinal vein occlusion patients got significant curative effects; boosting qi, invigorating blood and dissolving stasis method adjust the patient's blood capillary, resulting in intravascular pressure decrease, alleviate edema reaction of patients, the prescription of red peony root, safflower, peach etc. It has function of breaking up blood stasis, for rhizoma Chuanxiong soothes the liver and resolves constraint, moves qi and blood, Radix Angelicae Sinensis nourishs blood and enrichs yin, Cortex Moutan cools the blood and stanchs bleeding; the interaction of drugs can give full play to invigorate blood and move qi, combined with laser it can effectively improve retinal hypoxia and reduced angiogenesis rate.

Retinal Arterial Obstruction Retinal arterial obstruction is due to thrombosis, embolization, arterial spasm causing central retinal artery interruption, then leading retinal ischemia, hypoxia, edema, optic cells die rapidly, resulting in a serious decline in visual acuity, or even permanent eye damage^[12]. Chen *et al*^[13] using unblock the orifices and Blood-Moving Decoction in the treatment of 36 retinal artery occlusion patients with western medicine, 7d for 1 course, count effect after 3 courses of treatment, results: 9 cases were cured, 11 cases markedly effective, 10 cases improved, 6 cases ineffective, the total efficiency is 83.3%. Zhang^[14] used unblocking the orifices and moving blood method for treatment of retinal artery occlusion in 35 cases with good results.

Diabetic Retinopathy Diabetic retinopathy (DR) is the most common microvascular complications of diabetes, is the main cause of blindness in adults^[15]. The mainly pathogenesis including the disorder of the polyol pathway, protein kinase C pathway of polyol pathway activation and growth factor expression and advanced glycation end products accumulation, oxidative stress, renin angiotensin system activation. According to the severity of fundus lesions, DR can be divided into non-proliferative diabetic retinopathy (NPDR) and proliferative diabetic retinopathy (PDR). Numerous studies have suggested that blood stasis exists in every stage^[16], and with the progress of the disease, it is becoming more and more serious, invigorating blood and dissolving stasis therapy is one of the most commonly methods^[17]. Shen *et*

al^[18] divided 76 patients (82 eyes) with DR into two groups, using self-made invigorating blood and dissolving stasis Chinese medicine, through observing the clinical curative effect, blood sugar control, after exam the vitreous body of the eye bleeding and central retinal artery hemodynamics with color Doppler ultrasound (CDFI). The total effective rate of Chinese medicine group was 90.2%, significantly higher than 72.1% in the control group. After treatment, the 2-hour blood glucose and resistance index in Chinese medicine group were lower than the control group, the retinal artery peak systolic velocity, diastolic blood flow rate is higher than the maximum central control group, and the differences were statistically significant. Zhou et al^[19] thought the basic pathogenesis of the early Xiaoke eye disease is blood stasis and flows slowly, and the scolopendra goes into the liver channel and eye orifices, invigorating blood and dissolving stasis, directly to the focus, getting good curative effects.

Optic Nerve Diseases Except hemorrhagic disease, invigorating blood and dissolving stasis medicine can also be used for non-bleeding optic nerve diseases, such as Liao^[20] used invigorating blood and dissolving stasis medicine ginaton, breviscapine injection to treat nonarteritic anterior ischemic optic neuropathy, confirmed that breviscapine and ginaton were equal slightly higher to the control group. Zhang^[21] used invigorating blood and dissolving stasis medicine combined with puerarin intravenous infusion in the treatment of optic atrophy, making the body to adjust the body function, dilation of blood vessels, dredge collaterals, improve microcirculation, improve eyesight, expand the horizons of clinical efficacy.

Primary Glaucoma Invigorating blood and dissolving stasis medicine are also applied in primary glaucoma to adjust the body function, expand blood vessels, dredge collaterals, improve microcirculation, improve vision, expand the clinical efficacy of vision. Wang et al^[22], according to different methods of treatment, divided 50 patients with primary glaucoma into routine treatment group (33 eyes) and invigorating blood and dissolving stasis group (27 eyes). The routine treatment group were given severity of routine hypotensive drugs and surgical treatment. The invigorating blood and dissolving stasis group were added invigorating blood and dissolving stasis medicine in the conventional treatment, then observed and summarize the changes of visual acuity of primary glaucoma in 32 cases (60 eyes) before and after the treatment. The visual acuity was improved in 8 eyes in the conventional treatment group (24.24%), and 16 eyes in the invigorating blood and dissolving stasis group after treatment, and the difference between the two groups was significant. Sun and Gou^[23] according to the different treatment methods divided patients into routine treatment group 21 cases (42 eyes) and invigorating blood and dissolving stasis group 20 cases (40 eyes). The routine group according to the severity were given routine hypotensive drugs and surgical treatment, invigorating blood and dissolving stasis group were added invigorating blood and dissolving stasis medicine on the basic treatment of routine group. After treatment, visual function of 6 cases (12 eyes) has improved significantly in routine group, 13 cases (26 eyes) improved significantly in the other group, there was significant difference between the two groups.

Ophthalmic Postoperative Complications Modern ophthalmic surgery is one of the main methods for the treatment of eye diseases, but patients still can appear seriously or not postoperative complications, such as eye irritation, conjunctiva or corneal edema, reaction of iridocyclitis and so on. Zhang and Li^[24] applied invigorating blood and dissolving stasis method to postoperation to relieving the ophthalmic surgery reaction, preventing and controlling complications' occurrence and development, promoting the rehabilitation of visual function, and improve the curative effect of ophthalmic perioperative period. Invigorating blood and dissolving stasis Chinese medicine can also be used in the treatment of eyelid and conjunctiva hyperemia, swelling, nodules, pterygium, corneal ulcer, pannus, clouds, keratic precipitates and exudation, aqueous and vitreous body hemorrhage, turbid, elevated intraocular pressure, exophthalmos, eye inflammation, contusion. Invigorating blood and dissolving stasis Chinese medicine have antibiosis function to some extent, can enhance immune function, which are applied to the treatment of retinal vein occlusion, retinal periphlebitis, papillitis, ocular trauma, blood stasis, eye contusion, scleritis, vitreous body cloudy, tobacco amblyopia, chronic uveitis and retinitis pigmentosa^[25-27].

Invigorating blood and dissolving stasis method is a kind of unique therapy of TCM. With the further studies of blood stasis and invigorating blood and dissolving stasis therapy, it is widely used in clinical ophthalmology, and get good effects beyond thought, especially when western medicine has no curative effects, which improve the cure rate of fundus oculi disease from the eyelids, conjunctiva, lacrimal sac, vitreous body to the choroid and retina, optic nerve and macula lutea, from surface to fundus. Pathological changes related to inflammation, degeneration, necrosis, atrophy, hyperplasia of fibrous tissue hyperplasia.

ACKNOWLEDGEMENTS

Conflicts of Interest: Wang Y, None; Peng J, None; Qin GY, None; Xiang Y, None; Liu JQ, None; Chen XD, None; Zhou YS, None; Peng QH, None.

REFERENCES

- 1 Wen YJ. The relationship between blood stasis and stubborn diseases. *Jilin Journal of Traditional Chinese Medicine* 2014;34(9):872-875.
- 2 Wang RG, You ZL. Analysis of the formation of blood stasis and the

- deepening know of modern research on blood stasis. *Chinese Journal of Traditional Medical Science and Technology* 2001;8(4):272-276.
- 3 Gao CX. Clinical application of activating blood circulation and removing blood stasis in ophthalmology. *Seek Medical and Ask the Medicine* 2012;10(9):62.
- 4 Gao C, Liu L, Hu AJ, Feng YT, Lai LX. Research progress in pharmacological study on Chinese materia medica with function of activating blood and resolving stasis. *Drug Evaluation Research* 2013;36(1):64-68.
- 5 Wen LH, Nong YJ, Mo MH, Qiu DG. Clinical observation of the integrated Chinese and western medicines in the treatment of traumatic hyphema. *Acta Medicinae Sinica* 2013;26(3):530-532.
- 6 Song RQ. Clinical analysis on treatment of contusion hyphema by invigorating blood and dissolving stasis. *Journal of Diffcult and Complicated Cases* 2003:2(1):39-40.
- 7 Lu W. Ding Xinyan's experience in treating fundus hemorrhage. Liaoning Journal of Traditional Chinese Medicine 2005;32(2):97.
- 8 Zhou LL, Wang WJ, Wang MF. Appling ophthalmic blood syndrome in staging treatment to treat 104 cases of vitreous hemorrhage. *Chinese Journal of Practical Ophthalmology* 2005;23(12):1347-1348.
- 9 Li CK. *The new Chinese Ophthalmology*. Beijing:People's Military Medical Press 2007:222-224.
- 10 Li AZ. Application of traditional Chinese medicine in vigorating blood and dissolving stasis method in retinal vein occlusion. *Guiding Journal of Traditional Chinese Medicine and Pharmacy* 2013(2):63-65.
- 11 Qin WG, Zheng W. Clinical effect analysis of boosting qi, invigorating blood and dissolving stasis method combined with laser treatment of retinal vein obstruction. *Evaluation and Analysis of Drug-Use in Hospitals of China* 2016(S1).
- 12 Li FM. Chinese Ophthalmology. *Beijing People's Health Publishing* 2005:226-227.
- 13 Chen ZQ, Jiao N, Yan LP, Yang MD. Clinical observation on treatment of retinal artery obstruction with integrated traditional Chinese and Western Medicine. *Nei Mongol Journal of Traditional Chinese Medicine* 2016;35(2):88.
- 14 Zhang MH. Curative effect observation of unblocking the orifices and invigorating blood method for treatment of retinal artery occlusion in 35 cases. *Henan Traditional Chinese Medicine* 2004;24(10):53-53.
- 15 Lamoureux EL, Tai ES, Thumboo J, Kawasaki R, Saw SM, Mitchell P, Wong TY. Impact of diabetic retinopathy on vision-specific function. *Ophthalmology* 2010;117(4):757-765.
- 16 Liu QH, Yi XX. Professor Yu Yanggui's experience in treating xiaoke eye disease. *Journal of New Chinese Medicine* 2008;40(1):10-11.
- 17 Tang C, Wu L. Literature analysis of traditional Chinese medicine compound in treating diabetic retinopathy. *Chinese Academy of traditional Chinese Medicine Seventh Ophthalmic Academic Exchange* 2008:77-79.
- 18 Shen XQ, Huang WG, Ren YP, Meng Y. Effect and ultrasonic evaluation of Huoxue Huayu Chinese medicine on diabetic fundus hemorrhage. *Chinese Journal of Rural Medicine and Pharmacy* 2015;22(23):33-34.

- 19 Zhou Q, Liu GF, Wang J, Tong XL. Introduction of centipede in treatment of complications of diabetes. *China J Tradit Chin Med Pharm* 2010;25(11):1806-1808.
- 20 Liao L. Effect study of invigorating blood and dissolving stasis decoction on nonarteritic anterior ischemic optic neuropathy ocular blood flow. *Beijing University of Chinese Medicine* 2014.
- 21 Zhang P. Clinical observation on 50 cases of optic atrophy treated by activating blood circulation and removing blood stasis. *Medical Journal of Chinese People's Health* 2007;19(18):767-767.
- 22 Wang YS, Peng YS, Huang XY, Zhan M. Effect of activating blood circulation and removing stasis herbs on visual acuity in patients with primary glaucoma. *Journal of Guangzhou University of Traditional Chinese Medicine* 2001;18(4):304-307.
- 23 Sun XJ, Gou BY. Effect of invigorating blood and dissolving stasis

- decoction on visual acuity in patients with primary glaucoma. *Chinese Journal of Trauma and Disability Medicine* 2013(5):245-246.
- 24 Zhang C, Li ZY. Application of promoting blood circulation and removing blood stasis in modern eye surgery. *China Foreign Medical Treatment* 2008:27(23):87-88.
- 25 Xiong X. Application of activating blood circulation and removing blood stasis in traditional Chinese medicine ophthalmology. *Journal of New Chinese Medicine* 2015(5):288-290.
- 26 Liu SY, Qin H, Liu PN. Application of invigorating blood and dissolving stasis medicine in the treatment of chronic uveitis. *Chinese Journal of Information on Traditional Chinese Medicine* 2009;16(3):58-59.
- 27 Xia XP, Tian DH, Song GX, Tang XC. Clinical study of drug therapy for retinitis pigmentosa. *Proceedings of the seventh Chinese Academy of Traditional Chinese Medicine Association of Ophthalmology* 2008:28-31.